

Robinsons Rochdale

Water Street Rochdale OL16 1UH
Sales: 01706 716 650 Email: info@robinsonсроchdale.co.uk

Benelli TNT 125 2019

Fun Attitude

£1,999 ^{+OTR}
from £41.46 p/m



Looking for a run-around motorcycle with the enjoying racy look of a larger machine? Look no further than the all-new Tornado Naked T, available in 125cc versions. The new Tornado Naked T has been created to win the hearts of a user that demands the utmost from their equipment, while still providing an unparalleled, enjoyable experience. Powering the Benelli Tornado Naked T is a single cylinder, 4 stroke, air cooled 4 valves, double spark engine providing 11 horsepower and smooth, manageable throttle response. Featuring 12-inch wheels with 120/70 and 130/70 tires, meaning great agility and stability on the road. The braking system of Benelli Tornado Naked T guarantees maximum performance: in front there is a steel disc of 220 mm, in the rear a single disc of 190 mm. Tornado Naked T: the amazing bike! The BMT engine platform, together with the engine technology from the century-old Benelli, has a number of technical advantages in engine platform (such as multi-valve multi-spark plug). The BMT power platform is mainly represented by high-speed, high-power, high-performance engines, and is equipped with high-end personalized and sporty models of Benelli. At present, the BMT power platform mainly focuses on small displacements below 250cc motorcycle engine. It will gradually expand to small displacement scooter engines and cub engines.

Engine

ENGINE TYPE Single cylinder, 4 stroke, air cooled 4 valves, single overhead camshaft (SOHC), double spark	RATED OUTPUT 8,2 Kw (11,1 Cv) @ 9500 rpm	EXHAUST SYSTEM With catalytic converter and oxygen sensors	FINAL DRIVE Chain	SPARK PLUG Bosch A7RC
DISPLACEMENT 124.8cc	MAX. TORQUE 10 Nm (1.0 kgm) @ 7000 rpm	CERTIFICATION Euro 4	IGNITION Athena MB2QJG	STARTING Electric
BORE X STROKE 54 54.5mm	LUBRICATION Wet Sump	CLUTCH Wet Clutch	COOLING SYSTEM Air Cooled	
COMPRESSION RATION 9.8:1	FUEL SUPPL Electronic fuel injection with throttle body 28mm	GEARBOX 5 Speed	BATTERY 12V	

Chassis

FRAME Trestle in steel tubes	FRONT BRAKE Steel disk ø210 mm with 2 pistons caliper and CBS	REAR BRAKE Steel disk ø190 mm with 1 pistons caliper and CBS	REAR RIM TYPE Aluminium Alloy	REAR TYRE 130/70-ZR12
FRONT SUSPENSION Upside-down forks	REAR SUSPENSION Rear swing arm with lateral shock absorber with spring pre-load adjustment	FRONT RIM TYPE Aluminum Alloy	REAR RIM DIMENSION 12" MT 3.5 DOT	HEADLIGHT LAMP N/A
FRONT SUSPENSION STROKE 120mm	REAR SUSPENSION STROKE 50mm	FRONT RIM DIMENSION 12" MT 3.0 DOT	FRONT TYRE 120/70-ZR12	TAILLIGHT LAMP N/A

Dimension

LENGTH 1770mm	HEIGHT 1025mm	UNLADEN WEIGHT 116kg	RESERVE N/A	SEAT HEIGHT 780mm
WIDTH 755mm	GROUND CLEARANCE 160mm	USABABLE TANK VOLUME 7.2 Ltr	WHEELBASE 1215mm	

Colour Options



Contact us

Robinsons Rochdale

Water Street Rochdale OL16 1UH

Phone: 01706 716 650

Email: Robinsons Rochdale

Website: <https://www.robinsonsrochdale.co.uk>

Working Time

Monday-Friday: 9.00am 6.00pm

Saturday: 9.00am 5.00pm

Sunday: 11.00am 4.00pm