

# Robinsons Rochdale

Water Street Rochdale OL16 1UH  
Sales: 01706 716 650 Email: info@robinsonsrochdale.co.uk

## Kawasaki Z H2 2020

ZR1000 KLFA

**£14,299** <sup>+OTR</sup>  
from £279.12 p/m



Our world-beating litre engine is boosted beyond belief with supercharger technology from the unrivalled H2. The timeless Sugomi style exudes Kawasaki DNA, elegant colour details, full TFT screen and a chrome air intake combine tradition of the Z with the technology of the H2. Supercharge your life. The Z brand has a rich history that stretches back almost 50 years. Now with the arrival of the Supernaked Z H2 with its supercharged engine, the second chapter of Z history is about to begin. A distillation of the vast technology possessed by Kawasaki Heavy Industries, Ltd., the innovative Z H2 is a motorcycle worthy of title “ultimate.” This new flagship model will lead the Z Series into the future.

## Engine

### ENGINE TYPE

Liquid-cooled, 4-stroke In-Line  
Four with Supercharger

### DISPLACEMENT

998 cm<sup>3</sup>

### BORE X STROKE

76 x 55 mm

### RATED OUTPUT

147.1 kW {200 PS} / 11,000  
rpm

### MAX. TORQUE

137 N•m {14 kgf•m} / 8,500  
rpm

### FUEL SUPPL

Fuel injection: Ø38 mm x 4 with  
oval sub-throttles

### CERTIFICATION

Euro 4

### CLUTCH

Wet multi-disc, manual

### GEARBOX

6 Speed

### FINAL DRIVE

Chain

### IGNITION

Electric

### STARTING

Electric

### GEAR RATIO

Gear Ratios 1st 3.077 (40/13)  
Gear Ratios 2nd 2.471 (42/17)  
Gear Ratios 3rd 2.045 (45/22)  
Gear Ratios 4th 1.727 (38/22)  
Gear Ratios 5th 1.524 (32/21)  
Gear Ratios 6th 1.348 (31/23)  
Final reduction ratio 2.556  
(46/18)

## Chassis

### FRAME

Trellis, high-tensile steel

### FRONT SUSPENSION

For this Z series model, SHOWA's SFF-BP front fork is used. Using the initial and damping adjustment functions, the settings can be adjusted according to the riders physique and riding conditions.

### FRONT BRAKE

Dual semi - floating 290mm discs, Caliper: Dual radial - mount, Brembo M4.32 monobloc, opposed 4-piston

### REAR SUSPENSION

A new Uni-Trak swing arm system and shock absorber made by SHOWA has been used. While ensuring operability in all speed ranges, it achieves a strong withstanding force against a high load up to the bottom end.

### REAR BRAKE

Single 250mm disc. Caliper: 2 - piston

### FRONT TYRE

120/70ZR17M/C (58W)

### REAR TYRE

190/55ZR17M/C (75W)

## Dimension

### USABABLE TANK VOLUME

19 litres

### WHEELBASE

1,455 mm

### SEAT HEIGHT

830 mm

## Colour Options



Metallic Matt Carbon Grey / Metallic Flat Spark Black



Performance edition

## **Contact us**

### **Robinsons Rochdale**

Water Street Rochdale OL16 1UH

Phone: 01706 716 650

Email: Robinsons Rochdale

Website: <https://www.robinsonsrochdale.co.uk>

## **Working Time**

Monday-Friday: 8.30am-5.30pm

Saturday: 9am-5pm

Sunday: 10.30am-3pm